

<b>HIPAA CROSSWALK – DIALYSIS</b>
-----------------------------------

Local Code & Modifier Description	Standard Code Description	Remarks
90955 – YD  FSRDC/ ALL INCLUSIVE DIALYSIS SERVICE - RENAL DIALYSIS SERVICES HEMO	90922  End stage renal disease (ESRD) related services (less than full month), per day; for patients under two years of age	
90955 – YD	90923  End stage renal disease (ESRD) related services (less than full month), per day; for patients between two and eleven years of age	
90955 – YD	90924  End stage renal disease (ESRD) related services (less than full month), per day; for patients between twelve and nineteen years of age	

**HIPAA CROSSWALK – DIALYSIS**

<b>Local Code &amp; Modifier Description</b>	<b>Standard Code Description</b>	<b>Remarks</b>
90955 – YD	90925  End stage renal disease (ESRD) related services (less than full month), per day; for patients twenty years of age and over	
90955 – YE  HOSPITAL BASED RENAL DIALYSIS CENT. SERVICE - RENAL DIALYSIS SERVICES HEMO	90922 -TG  End stage renal disease (ESRD) related services (less than full month), per day; for patients under two years of age	TG indicates “Complex/high tech level of care”.
90955 – YE	90923 -TG  End stage renal disease (ESRD) related services (less than full month), per day; for patients between two and eleven years of age	

**HIPAA CROSSWALK – DIALYSIS**

<b>Local Code &amp; Modifier Description</b>	<b>Standard Code Description</b>	<b>Remarks</b>
90955 – YE	90924 -TG  End stage renal disease (ESRD) related services (less than full month), per day; for patients between twelve and nineteen years of age	
90955 – YE	90925 -TG  End stage renal disease (ESRD) related services (less than full month), per day; for patients twenty years of age and over	
90955 – YY  EPOGEN ADMINISTERED BY DIALYSIS CENTER	Q9920  Injection of EPO, per 1000 units, at patient HCT of 20 or less	

<b>HIPAA CROSSWALK – DIALYSIS</b>
-----------------------------------

Local Code & Modifier Description	Standard Code Description	Remarks
90955 – YY	Q9940  Injection of EPO, per 1000 units, at patient HCT of 40 or above	